

Amendments to the Claims:

1. (currently amended): A method of copy protecting media content comprising:
determining whether the media content is designated as copy once;
if the media content is designated as copy once, obtaining an identifier for the media content;
querying a data repository – which is separate from the media content itself – to determine if the identifier is stored therein;
if the identifier is found in the data repository, modifying or disabling a copy function; and
if the identifier is not found in the data repository, adding the identifier to the data repository.
2. (original): The method of claim 1, wherein the identifier comprises a content identifier.
3. (currently amended): The method of claim 2, wherein the content identifier is conveyed by a digital watermark embedded in the media content, and said obtaining **step** comprises reading the digital watermark to obtain the content identifier.
4. (original): The method of claim 2, wherein the content identifier is obtained from a header associated with the media content.

5. (original): The method of claim 2, wherein the content identifier is obtained from an encryption system associated with the media content.

6. (original): The method of claim 2, wherein the content identifier is obtained by determining a fingerprint of the media content.

7. (original): The method of claim 1, wherein the media content is stored on physical media, and the identifier comprises a physical media identifier.

8. (original): The method of claim 7, wherein the physical media comprises a DVD, and the physical media identifier comprises a unique serial number corresponding to the DVD.

9. (original): The method of claim 1, further comprising allowing copying of the media content when the identifier is not found in the data repository.

10. (currently amended): The method of claim 1, wherein the media content comprises a digital watermark embedded therein, the digital watermark indicating that the media content is designated as copy once, and wherein said determining ~~step~~ comprises reading the digital watermark.

11. (currently amended): The method of claim 1, wherein the media content comprises metadata associated therewith, the metadata indicating that the media content is designated as copy once, and wherein said determining **step** comprises analyzing the metadata.

12. (original): The method of claim 11, wherein the metadata is stored in a file header.

13. (currently amended): The method of claim 1, wherein the media content is associated with an encryption system, the encryption system indicating that the media content is designated as copy once, and wherein said determining **step** comprises communicating with the encryption system.

14. (original): A recording device performing the method of claim 1.

15. (original): The recording device according to claim 14, wherein the data repository is co-located with the recording device.

16. (original): The recording device according to claim 14, wherein the data repository is remotely located from the recording device.

17. (currently amended): A recording device that is operable to copy media content, said device comprising:

a data repository;

electronic processing circuitry;

a system communications bus to facilitate communication between the data repository and the electronic processing circuitry, said electronic processing circuitry executing **acts** **steps** of:

determining whether media content – which is separate from the data repository – is designated as copy once;

if the media content is designated as copy once, obtaining an identifier for the media content;

querying the data repository to determine if the identifier is stored therein;

if the identifier is stored in the data repository, modifying or disabling a copy function; and

if the identifier is not stored in the data repository, storing the identifier to the data repository.

18. (original): A method of providing copy protection for protected media content on a computer system, the computer system comprising an output port and an associated output buffer, and an input port and an associated input buffer, said method comprising:

analyzing first media content buffered in the output buffer;

analyzing second media content buffered in the input buffer; and

comparing the first media content buffered in the output buffer with the second media content buffered in the input buffer, wherein a copy operation is modified or disabled when the first media content and the second media content match or otherwise coincide.

19. (original): The method of claim 18, wherein the computer system comprises a single computer system.

20. (original): The method of claim 19, wherein the output buffer comprises a matrix of output buffers, and the input buffer comprises a matrix of input buffers.

21. (currently amended): The method of claim 20, wherein said comparing **step** compares at least active output buffers with active input buffers.

22. (original): The method of claim 18, wherein the computer system comprises at least two networked computers, with a first computer comprising the output port and a second computer comprising the input port.

23. (original): The method of claim 22, wherein the output buffer comprises a matrix of output buffers, and the input buffer comprises a matrix of input buffers.

24. (currently amended): The method of claim 23, wherein said comparing ~~step~~ compares at least content buffered in active output buffers with content buffered in active input buffers.

25. (currently amended): The method of claim 18, wherein the first media content comprises a first identifier embedded therein in the form of a digital watermark and the second media content comprises a second identifier embedded therein in the form of a digital watermark, and wherein said ~~step-of~~ analyzing first media content buffered in the output buffer comprises obtaining the first identifier from its watermark, said ~~step-of~~ analyzing second media content buffered in the input buffer comprises obtaining the second identifier from its watermark, and said ~~step-of~~ comparing the first media content buffered in the output buffer and the second media content buffered in the input buffer comprises comparing at least a portion of the first identifier with at least a portion of the second identifier.

26. (original): The method of claim 25, wherein the copy operation is modified or disabled when the portion of the first identifier and the portion of the second identifier match or otherwise coincide.

27. (currently amended): The method of claim 18, wherein the first media content comprises a first identifier embedded in the form of a digital watermark, and wherein said ~~step-of~~ analyzing first media content buffered in the output buffer comprises obtaining the first identifier from its watermark, and said ~~step-of~~ analyzing second media

content buffered in the input buffer comprises obtaining a plurality of identifiers embedded as digital watermarks in the second media over a time period, and said ~~step of~~ comparing the first media content buffered in the output buffer and the second media content buffered in the input buffer comprises comparing at least a portion of the first identifier with at least portions of the plurality of identifiers.

28. (original): The method of claim 27, wherein the copy operation is modified or disabled when the portion of the first identifier and the portions of the plurality of identifiers match or otherwise coincide.

29. (currently amended): The method of claim 18, wherein said ~~step of~~ analyzing first media content buffered in the output buffer comprises determining a first fingerprint of the first media content, said ~~step of~~ analyzing second media content buffered in the input buffer comprises determining a second fingerprint of the second media content, and said ~~step of~~ comparing the first media content buffered in the output buffer and the second media content buffered in the input buffer comprises comparing at least a portion of the first fingerprint with at least a portion of the second fingerprint.

30. (original): The method of claim 29, wherein the copy operation is modified or disabled when the portion of the first fingerprint and the portion of the second fingerprint match or otherwise coincide.

31. (original): The method of claim 29, further comprising compensating for a time delay associated with the second media content, relative to the first media content.

32. (original): The method of claim 18, further comprising determining that the media content is protected via reference to at least one of a digital watermark, header, metadata and encryption system.

33. (original): A method of providing copy protection for protected media content on a computer system, the computer system comprising an output port and an associated output buffer, and an input port and an associated input buffer, said method comprising:

obtaining first media content buffered in the output buffer;

obtaining second media content buffered in the input buffer; and

comparing the first media content buffered in the output buffer and the second media content buffered in the input buffer through correlation of the first media content with the second media content, wherein a copy operation is modified or disabled when the correlation of the first media content and the second media content indicates that the first media content and the second media content match or otherwise coincide.

34. (original): The method of claim 33, wherein the correlation makes use of a transform domain.

35. (original): The method of claim 34, wherein the transform domain comprises a Fourier domain.

36. (original): The method of claim 35, wherein the first media content and the second media content each comprise audio.

37. (original): The method of claim 33, further comprising compensating for a time delay associated with the second media content relative to the first media content.

38. (original): The method of claim 34, further comprising compensating for a time delay associated with the second media content relative to the first media content.

39. (currently amended): A method of providing copy control for protected media content comprising:

~~selectively~~ determining which out of a plurality of copy control systems applies to the protected media content, said protected media content comprises a digital watermark embedded therein according to a key, said determining determines which out of a plurality of copy control systems applies to the protected media content based on the key;
and

controlling the protected media content according to a ~~the~~ determined copy control system.

40. canceled.

41. (currently amended): The method of claim 39 ~~[[40,]]~~ wherein the key further designates a copy control state.

42. (currently amended): The method of claim 41, wherein the copy control state comprises at least one of copy never, copy once, copy freely or ~~and~~ copy no more.

43. (currently amended): The method of claim 39 ~~[[40,]]~~ wherein the key indicates at least one of an embedding protocol, a watermark payload encryption scheme, an embedding characteristic, a pseudo-random sequence that is used to embed the watermark, locations within the media content used for watermark embedding, media content features to be modified to effect embedding or ~~and~~ semantic meaning of particular features of the media content.

44. (currently amended): The method of claim 39 ~~[[40,]]~~ wherein each of the plurality of copy control systems corresponds to at least one unique key.

45. (currently amended): The method of claim 39, wherein ~~the protected media content comprises a digital watermark embedded therein,~~ the digital watermark comprising a multi-bit payload, and wherein said ~~selectively~~ determining ~~step~~ determines which out of a plurality of copy control systems applies to the protected media content based on at least one bit of the multi-bit payload and on the key.

46. (original): The method of claim 45, wherein each of the plurality of copy control systems is associated with a unique sequence of bits.

47. (currently amended): The method of claim 39, wherein the plurality of copy control systems comprises at least one of a DVD system **or** **~~and~~** a conditional access TV system.

48. (original): A method of providing copy control for protected media content, the protected media content comprising a digital watermark embedded therein according to a key, said digital watermark comprising a payload, said method comprising:

determining which out of a plurality of copy control states should govern the protected media content by reference to the watermark key;

determining which out of a plurality of copy control systems the content should be handled by reference to the watermark payload; and

providing copy control according to the determined copy control state through the determined copy control system.